

CHESTERTON CONNECT™ CLOUD

EQUIPMENT INSIGHT FOR BETTER RELIABILITY AND EFFICIENCY



Chesterton
Connect™



Equipment Intelligence at a Glance

Chesterton Connect™ Cloud allows you to monitor all equipment linked to Chesterton Connect sensors 24/7 through an easy-to-use dashboard.

From wherever you are, view overall performance, explore variances and trends, add notes, and take action to increase uptime and productivity.



Benefits

- Spot trends to address potential threats to uptime
- Pinpoint issues causing difficult-to-uncover failures
- Predict potential problems to help lower maintenance costs
- Easily modernize your plant operations

Supported on all popular browsers



Google
Chrome



Mozilla
Firefox



Microsoft
Edge



Apple
Safari

MONITOR, ANALYZE, AND COMPARE EQUIPMENT HEALTH FROM WHEREVER YOU ARE*

The Chesterton Connect™ sensor is a simple-to-install, comprehensive equipment monitor and app that provides 24/7 insights of equipment conditions including process temperature and pressure, equipment vibration, and surface temperature.

The Chesterton Connect Cloud gives you a powerful window into the health of all equipment monitored by Chesterton Connect devices. It is an efficient intelligence tool that helps you easily detect variations in equipment performance to focus maintenance efforts where needed most.

Capabilities

- Set alert notifications by equipment
- Correlate multiple measurements for a specific time
- Quickly overlay and compare data for multiple pieces of equipment
- Compare vibration against published standards
- Produce equipment performance reports easily



Software Features

Security	24/7 security, authentication, and backup of data
Personalization	Flexible management of user roles, permissions, and reports
Data Storage	Unlimited storage of Chesterton Connect measurements, alarms, and notes
Data Visualization	Simple to navigate graphs, alarms, and notes
Analytics	Time-plotted trends and events
Reports	Easily print asset reports
Access	Global access to unlimited sensors

*Internet connectivity required.



Global Solutions, Local Service

Since its founding in 1884, the A.W. Chesterton Company has successfully met the critical needs of its diverse customer base. Today, as always, customers count on Chesterton solutions to increase equipment reliability, optimize energy consumption, and provide local technical support and service wherever they are in the world.

Chesterton's global capabilities include:

- Servicing plants in over 113 countries
- Global manufacturing operations
- More than 500 Service Centers and Sales Offices worldwide
- Over 1200 trained local Service Specialists and Technicians

Visit our website at chesterton.com



Chesterton ISO certificates available on
chesterton.com/corporate/iso

Distributed by:

Chesterton Connect™ is a trademark of A.W. Chesterton Company. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by A.W. Chesterton is under license. Technical data reflects results of laboratory tests and is intended to indicate general characteristics only. A.W. Chesterton Company disclaims all warranties express, or implied, including warranties of merchantability and fitness for a particular purpose. Liability, if any, is limited to product replacement only. Any images contained herein are for general illustrative or aesthetic purposes only and are not intended to convey any instructional, safety, handling or usage information or advice respecting any product or equipment. Please refer to relevant Safety Data Sheets, Product Data Sheets, and/or Product Labels for safe use, storage, handling, and disposal of products, or consult with your local Chesterton sales representative.

© 2021 A.W. Chesterton Company.

® Registered trademark owned by A.W. Chesterton Company
in USA and other countries, unless otherwise noted.



A.W. Chesterton Company
860 Salem Street
Groveland, MA 01834 USA

Telephone: 781-438-7000
Fax: 978-469-6528
chesterton.com

Form No. EN350974
Chesterton Connect
Cloud Brochure
03/21